## EUROPEAN PATENT OFFICE

## Patent Abstracts of Japan

**PUBLICATION NUMBER** 

11106506

**PUBLICATION DATE** 

20-04-99

APPLICATION DATE

03-10-97

**APPLICATION NUMBER** 

09287740

APPLICANT: ULVAC CORP;

INVENTOR:

**UKISHIMA YOSHIYUKI:** 

INT.CL.


C08G 73/10


TITLE

LOWLY PERMITTIVE POLYMER

MEMBRANE, FORMATION THEREOF

AND LAYER INSULATION MEMBRANE





ABSTRACT:

PROBLEM TO BE SOLVED: To provide a method for forming simply and easily a lowly permittive polymer membrane which has stable properties and is applicable particularly to interlaminar insulation membranes for semiconductor apparatus.

SOLUTION: In the formation of a polyimide membrane on a substrate by the vapor deposition polymerization, the substrate is heated to and maintained at a temperature of 30°C or above. Among raw monomers for forming the polyimide membrane are, for example, 2,2-bis[4-(4-aminophenoxy) phenyl]hexafluoropropane and 2,2-bis(3,4-phenylcarboxyl)hexafluoropropane dihydrate. The density of the polyimide membrane is reduced to 1.4 g/cm<sup>3</sup> or less, with the result that a polyimide membrane having a relative permittivity of 2.6-2.7 can be formed.

COPYRIGHT: (C)1999,JPO